



PORNOGRAPHY USE AND ITS ASSOCIATION WITH RISK-TAKING SEXUAL BEHAVIOURS

Among Adolescents in the West of Ireland

Dr. Nicola Murphy
Specialist Registrar in Public Health Medicine

BACKGROUND



"...a state of physical, emotional, mental and social well —being in relation to sexuality; it is not merely the absence of disease, dysfunction or infirmity... (it) requires a positive and respectful approach to sexuality and sexual relationships, as well as the possibility of having pleasurable and safe sexual experiences, free of coercion, discrimination and violence . For sexual health to be attained and maintained, the sexual rights of all persons must be respected, protected and fulfilled ." 1



- PORNOGRAPHY USE
- "Professionally produced or user generated sexually explicit content, images or videos that are intended to sexually arose the user".²
- Has become increasingly available and easily accessible smartphones/internet .
- Prevalence varies in the literature but use has increased among recent generations .^{2,3}

- Sexual health education for Irish youths can be inaccurate, inconsistent and unreliable .4-6
- Adolescents often turn to sexually explicit material to garner sexual health information .⁷
- Can result in modelling their sexual behaviours on what they view, normalising sexual behaviours depicted online.8

NATIONAL SEXUAL HEALTH STRATEGY 2015 - 2020












• National Sexual Health Strategy - "healthy sexuality throughout childhood and adolescence is more likely to lead to positive sexual health into adulthood".

 NSHS Review 2023 - Strategy to address the impact of early exposure to pornography is required.

Literature Review: Evidence to Date

- Pornography use is more prevalent among adolescents who spend more time online. ^{9,10}
- Factors associated with pornography use include being male, from more affluent backgrounds and having lower levels of parental monitoring. ^{2,9,11,12}
- Pornography exposure is associated with engaging in risk-taking sexual behaviour and very early sexual initiation. ^{7,13}
- Sex under the influence is associated with less consistent condom
- Sexual health education is associated with fewer risk -taking sexual behaviours. 16-18





PLANE OLACI®



PARTNER Ireland

- International, evidence based, primary prevention model.
- Developed by the Icelandic Centre for Social Research Analysis (ICRSA).
- Planet Youth Survey 2022 comprises an anonymous, self-completed lifestyle questionnaire.
- Administered to 15-16 year olds in Galway, Mayo and Roscommon.
- Questions around health and wellbeing, family and school experience, substance use and sexual health.





PLANETYOUTH SURVEY 2022



PARTNER /reland



Target population:

15-16 year olds in post primary schools in Galway, Mayo and Roscommon




Surveys conducted in November 2022 using CASI (computer assisted self-interview)



81 post primary schools

& 10 Youthreach centres invited to participate





Opt out using a passive consent process



Results were returned to Ireland in February 2023

Exposure Variables

- How often in the past year had participants viewed pornography ?
- How often in the past year had participants used pornography as a source of information to learn about sex?
- How often in the past year had participants **felt pressured** to view pornography by a peer or partner?

Outcome Variables

How often in the past year had participants engaged in condomless sex?


- How often in the past year had participants engaged in sexual activity under the influence of alcohol or drugs?
- Had participants engaged in very early sexual initiation (<15 years old)?

NEVER(>15yrs or never)/ EVER(<15 yrs)

NEVER (last 12 months) or EVER (once, twice, 3 -4 times, >5 times in last 12 months)



CONFOUNDING FACTORS:



Socio - demographic Factors

Age, Gender, Ethnicity, Maternal Education, Deprivation

Parental Factors

Parental monitoring
Parental rule -setting



Self-reported body image


Sexual Health Factors

Sexual health advice from a parent, medical professional or received at school

RESULTS

- 5277 survey responses were received (response rate 87 %).
- 60 % respondents were 16 years,
 28% were 15 years,
 12 % were 17 yearsold.
- Males 49%, Females 48 %.
- 88% recorded ethnicity as white.

Age of Respondents



28% (15y)

60% (16y)





4





16 years


17 years

RESULTS


- 37% of study population had viewed pornography (previous year).
- 15% report using pornography as a source of information to learn about sex (previous year).
- 3% reported feeling pressured to view pornography by a peer or sexual partner (previous year).
- All more common among males.



PORNOGRAPHY USE AMONG STUDY POPULATION



PORNOGRAPHY USE AMONG STUDY POPULATION



condomless sex

6.5% respondents (previous 12 months)
 or 46% of the sexually initiated

- No differences gender or ethnicity
 - Viewed pornography
 - Used porn as a source of information
 - Felt pressured to view porn

x 2-3 likelihood of condomless sex

Higher Likelihood

- Deprivation
- Sexual health advice from a parental/medical source

Lower Likelihood

- Higher levels of parental monitoring
- Mother with a third level education





Condomless sex in the last 12 months (n=4751)							
Variables	Unadjusted OR	p	Adjusted OR	p			
	(95% C.I.)		(95% C.I.)				
Viewed Pornography (last 12 months)							
Never	Ref		Ref				
Ever	3.28 (2.59-4.17)	<0.001	3.38 (2.60-4.43)	<0.001			
Maternal Education							
No third level	Ref		Ref				
Third level	0.57 (0.45-0.73)	<0.001	0.63 (0.49-0.82)	0.001			
Deprivation*							
Rarely	Ref		Ref				
Sometimes	2.10 (1.37-3.23)	0.001	1.61 (1.01-2.56)	0.04			
Often	1.50 (1.06-2.13)	0.02	1.52 (1.04-2.22)	0.03			
Parent monitoring‡							
Lower level	Ref		Ref				
Higher level	0.37 (0.25-0.53)	<0.001	0.48 (0.32-0.71)	<0.001			
Trusted source of sexual health information¶							
Never	Ref		Ref				
Ever	1.55 (1.24-1.93)	<0.001	1.33 (1.04-1.69)	0.02			

Sexual activity under the influence

- >27% respondents reported engaging in sexual activity (previous 12 months)
- 14% respondents reported this occurred under the influence of alcohol/drugs
 - Viewed pornography
 - Used porn as a source of information
 - Felt pressured to view porn
 - x 2-3 likelihood of sexual activity under the influence

Higher Likelihood

- Sexual health advice from a trusted source
- Female

Lower Likelihood

- Non-white ethnicity
- Higher levels of parental monitoring
- Mother with a third level education
- Better self -image

Sex under the influence in the last 12 months (n=4/32)							
Variables	Unadjusted OR	p	Adjusted OR	p			
	(95% C.I.)		(95% C.I.)				
Viewed Pornography (last 12 months)							
Never	Ref		Ref				
Ever	3.11 (2.63-3.66)	<0.001	3.60 (2.97-4.37)	<0.001			
Gender	Gender						
Other	Ref		Ref				
Male	0.94 (0.59-1.52)	0.81	1.19 (0.71-1.98)	0.51			
Female	1.20 (0.75-1.93)	0.45	2.37 (1.42-3.95)	0.001			
Ethnicity							
White	Ref		Ref				
Non-white	0.56 (0.42-0.75)	<0.001	0.54 (0.39-0.74)	<0.001			
Parent monitoring‡							
Lower level	Ref		Ref				
Higher level	0.29 (0.22-0.38)	<0.001	0.29 (0.21-0.40)	<0.001			
Self-image§							
Poor	Ref		Ref				
Good	0.65 (0.55-0.76)	<0.001	0.75 (0.63-0.90)	0.002			

VERY EARLY SEXUAL INITIA

- Just under 15% were sexually initiated
- Of which, 29 % aged <15 y at sexual initiation
 - Viewed pornography
 - Used porn as a source of information
 - Felt pressured to view porn

x 2-3 likelihood of very early sexual initiation

Higher Likelihood

- Deprivation (sometimes)
- Sexual health advice from a parental/medical source

Lower Likelihood


- Higher parental monitoring
- Mother with third level education



Very early sex initiation (<15 years) (n=4749)						
Variables	Unadjusted OR	р	Adjusted OR	р		
	(95% C.I.)		(95% C.I.)			
Viewed Pornography (last 12 months)						
Never	Ref		Ref			
Ever	2.82 (2.12-3.77)	<0.001	2.79 (2.00-3.91)	<0.001		
Maternal Education						
No third level	Ref		Ref			
Third level	0.64 (0.47-0.86)	0.004	0.63 (0.45-0.87)	0.006		
Deprivation*						
Rarely	Ref		Ref			
Sometimes	2.70 (1.67-4.35)	<0.001	2.23 (1.33-3.74)	0.002		
Often	1.49 (0.96-2.29)	0.07	1.41 (0.88-2.26)	0.16		
Parent monitoring‡						
Lower level	Ref		Ref			
Higher level	0.31 (0.20-0.47)	<0.001	0.39 (0.24-0.61)	<0.001		




strengths and Limitations



- · uhi e, Hou ihu ś žýi o Ę śżý le, į steli Ę w

- u, ˇŘÏĐđĨˇśý, Ïžý'nŰĘĮĘĐŰÏĐđĨ rĐƯĐ¯, rą ◘ẅ









RECOMMENDATIONS

STRATEGIC

- National strategy addressing impacts of pornography use
- Targeted public health campaign promoting consistent condom use

EDUCATIONAL

- Collaborative approach
 Training for educators new curricula
 - Resources for parents

RESEARCH

- Longitudinal research on adolescents
- Potential mental health impacts & aggressive behaviours

THANK YOU FOR YOUR AT



Special thanks to:

Dr. Peter Barrett

Mr. Emmet Major

Dr. Breeda Neville







Questions??

references

- 1. World Health Organisation. Definitions. Sexual Health. 2006 Available from https://www.who.int/health-topics/sexual-health#tab=tab_2
- 2. Peter J, Valkenburg PM. Adolescents and Pornography: A Review of 20 Years of Research. J Sex Res [Internet]. 2016 May 3 [cited 2024 Jul 10];53(4–5):509–31. Available from: https://www.tandfonline.com/doi/full/10.1080/00224499.2016.1143441
- 3. Donevan M, Jonsson L, Bladh M, Priebe G, Fredlund C, Svedin CG. Adolescents' Use of Pornography: Trends over a Ten-year Period in Sweden. Arch Sex Behav [Internet]. 2022 Feb [cited 2024 Jul 10];51(2):1125–40. Available from: http://www.ncbi.nlm.nih.gov/pubmed/34750776
- 4. Plan International iRELAND. Know Where To Go Navigating sexual and reproductive health misinformation in schools and online in Ireland [Internet]. 2022 [cited 2024 Jan 3]. Available from: https://www.plan.ie/wp-content/uploads/2022/01/KnoWhere-to-Go-Report.pdf
- 5. Nolan A, Smyth E. TALKING ABOUT SEX AND SEXUAL BEHAVIOUR OF YOUNG PEOPLE IN IRELAND [Internet]. Economic and Social Research Series 112. 2020 [cited 2024 Jan 3]. Available from: https://doi.org/10.26504/rs112
- 6. Macneela P, O'higgins S, Mcivor C, Seery C, Dawson K, Delaney N. Are Consent Workshops Sustainable and Feasible in Third Level Institutions? Evidence from Implementing and Extending the SMART Consent Workshop [Internet]. [cited 2024 Jan 3]. Available from: https://www.universityofgalway.ie/media/smartconsent/SMART-Consent-Report-2018-web-.pdf
- 7. Pathmendra P, Raggatt M, Lim MS, Marino JL, Skinner SR. Exposure to Pornography and Adolescent Sexual Behavior: Systematic Review. J Med Internet Res [Internet]. 2023 Feb 28 [cited 2024 Jun 7];25:e43116. Available from: http://www.ncbi.nlm.nih.gov/pubmed/36853749
- 8. Children's Commissioner. "A lot of it is actually just abuse"; Young people and pornography [Internet]. 2023 [cited 2024 Jul 10]. Available from: https://assets.childrenscommissioner.gov.uk/wpuploads/2023/02/cc-a-lot-of-it-is-actually-just-abuse-young-people-and-pornography-updated.pdf
- 9. Andrie EK, Sakou II, Tzavela EC, Richardson C, Tsitsika AK. Adolescents' Online Pornography Exposure and Its Relationship to Sociodemographic and Psychopathological Correlates: A Cross-Sectional Study in Six European Countries. Child (Basel, Switzerland) [Internet]. 2021 Oct 16 [cited 2024 Jul 10];8(10). Available from: http://www.ncbi.nlm.nih.gov/pubmed/34682190

references

- 10. Yu C, Kågesten AE, De Meyer S, Moreau C, Van Reeuwijk M, Lou C. Pornography Use and Perceived Gender Norms Among Young Adolescents i Urban Poor Environments: A Cross-site Study. J Adolesc Heal [Internet]. 2021 [cited 2024 Jul 18];69:S31–8. Available from:
- https://doi.org/10.1016/j.jadohealth.2021.03.008
- 11. Donevan M, Jonsson L, Bladh M, Priebe G, Fredlund C, Svedin CG. Adolescents' Use of Pornography: Trends over a Ten-year Period in Sweden. Arch Sex Behav [Internet]. 2022 Feb [cited 2024 Jul 10];51(2):1125–40. Available from: http://www.ncbi.nlm.nih.gov/pubmed/34750776
- 12. Yu C, Kågesten AE, De Meyer S, Moreau C, Van Reeuwijk M, Lou C. Pornography Use and Perceived Gender Norms Among Young Adolescents in Urban Poor Environments: A Cross-site Study. J Adolesc Heal [Internet]. 2021 [cited 2024 Jul 18];69:S31–8. Available from:

https://doi.org/10.1016/j.jadohealth.2021.03.00

- 13. Nolan A, Smyth E. USE OF PORNOGRAPHY BY YOUNG ADULTS IN IRELAND E V I D E N C E FO R P O L I C Y [Internet]. ESRI. 2024 [cited 2024 Jul
- 11]. Available from: https://doi.org/10.26504/rs177
- 14. EsPada JP, MoralEs alExandra, orgilés M, PiquEras J, Carballo J, Espada JP. Comportamiento sexual bajo la influencia del alcohol en adolescentes españoles Sexual behaviour under the influence of alcohol among Spanish adolescents ORIGINALES [Internet]. [cited 2024 Aug 21]. Available from: https://www.redalyc.org/pdf/2891/289125756010.pdf
- 15. Jarienė K, Ulevičius J, Petrušaitė A, Siratavičienė A, Vasilavičiūtė I, Jaras A, et al. Sexual behavior of Lithuanian high school students.
- Contraception [Internet]. 2022 May [cited 2023 Dec 15];109:62–7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/35122729
- 16. Macdowall W, Jones KG, Tanton C, Clifton S, Copas AJ, Mercer CH, et al. Associations between source of information about sex and sexual health outcomes in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). BMJ Open [Internet]. 2015 Mar 5 [cited 2024 Jun 10];5(3):e007837. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25743154
- 17. Denford S, Abraham C, Campbell R, Busse H. A comprehensive review of reviews of school-based interventions to improve sexual-health.
- Health Psychol Rev [Internet]. 2017 Mar [cited 2023 Dec 15];11(1):33–52. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27677440
- 18. Layte R;, Mcgee H, Layte R. The Irish study of sexual health and relationships: summary report Item Type Report Summary Report The Irish Study of Sexual Health and Relationships Summary Report [Internet]. 2006 [cited 2024 Jan 3].

Available from: http://hdl.handle.net/10147/305194Findthisandsimilarworksat-http://www.lenus.ie/hse